

DEPARTMENT OF WATER RESOURCES

1416 NINTH STREET, P.O. BOX 942836
SACRAMENTO, CA 94236-0001
(916) 653-5791



March 15, 2002

The Department of Water Resources is pleased to announce the next Environmental Work Group Meeting associated with relicensing the Oroville Facilities (Federal Energy Regulatory Commission Project No. 2100). A proposed agenda for the meeting is enclosed. The meeting is scheduled for:

March 27, 2002
9:30 a.m. – 3:30 p.m.
Kelly Ridge Golf Course Meeting Room
5131 Royal Oaks Drive
Oroville, California

We are also posting this information on our Oroville Facilities Relicensing web site, <http://OrovilleRelicensing.water.ca.gov>. Please visit our web site for additional information on the Oroville Facilities Relicensing Program and related meetings.

A working lunch will be provided during the meeting. For additional information, please call Ted Alvarez at (916) 653-7375.

Enclosure

**Department of Water Resources
Oroville Facilities Relicensing
Environmental Work Group
Proposed Agenda**

March 27, 2002
9:30 a.m. – 3:30 p.m.
Kelly Ridge Golf Course Meeting Room
5131 Royal Oaks Drive
Oroville, California

Desired Outcomes

- *Update on Action Items*
- *Cumulative Task Force Status Report*
- *Review Critical Path Study Plans Revised During Task Force Meetings*
- *Review and Revise Critical Path Study Plan Not Reviewed During Task Force Meetings*
- *Review Non-Critical Path Study Plans Revised During Task Force Meetings*
- *Next Steps*

- | | | |
|------|--|-----------------|
| I. | Welcome and Introductions | (9:30 – 9:40) |
| II. | March 7, 2001 Meeting Summary and Action Items | (9:40 – 9:50) |
| III. | Cumulative Task Force Status Report | (9:50 – 10:15) |
| IV. | Critical Path Study Plans | (10:15 – 12:30) |
| | • Water Quality | |
| | • SP-W2 | |
| | • Fisheries | |
| | • SP-F10? | |
| | LUNCH | (12:30 – 1:00) |
| IV. | Study Plans (revisions) | (1:00 – 3:15) |
| | • Terrestrial | |
| | • SP-T6 | |
| | • SP-T8 | |
| | • SP-T10 | |
| | • SP-T11 | |
| | • Water Quality | |
| | • SP-W5 | |
| | • SP-W9 | |
| V. | Next Steps | (3:15 – 3:30) |